

OF65A-FM**65”****UHD 3000nits Fan Cooling Outdoor Digital Signage**

Key Feature

- 3000nits
- UHD Resolution
- Blackening Effect Free (Tni 105°C)
- Visible with Polarized Sunglasses (QWP Front Pol.)
- HDMI-In
- IP55
- AR Tempered Glass
- Fan Cooling
- Brightness Auto Adjustment with Ambient Light Sensor
- Internal Temperature Sensor
- Remote Control & Monitoring Function

Specification

Display

Model	OF65A-FM
Screen Size (Diagonal)	65 inch
Native Resolution	2160 × 3840
Aspect Ratio	9:16
Brightness	3000 cd/m ²
Contrast	1200:1
View Angle	178°(H) / 178°(V)
Color Gamut	72%
Life Time (Light Source)	50,000 Hrs

Connectivity

Input	HDMI - In
Output	-
External Control	-
Networks	-
Built-In Speaker	5W × 2 (8Ω)

Power

Power supply	AC 100~240V 50/60Hz
Power consumption	≤ 600W

Environment

Cooling system	Fan (Heater for under -10°C)
Operation temperature	-25°C~50°C
Storage temperature(°C)	-20°C~60°C
Water and dust proof	IP55
Safety Protection	Leakage Protection, Overload Protection, Overvoltage Protection, Lightning Protection, Over temperature Protection
Operation humidity	10%~95% RH

Specification

Physical

Screen Protection	Armored glass (Single Side AR Film)
Body Dimension (w/o Stand)	2230 (H) × 1020 (W) × 200 (D) mm
Body Dimension (with Stand)	2280 (H) × 1020 (W) × 200 (D) mm
Set Weight (with Stand)	180 Kg
Package Dimension	TBD
Package Weight	TBD
Door open-ward	Front open

Dimension Drawing

